

AZZARDO®

Outdoor

Selected visualisations presented in this catalogue have been created or modified using artificial intelligence tools and are intended for illustrative purposes. They serve to visualise products that correspond to actual models available in our offer.





Discover our collections of decorative lamps and track lighting systems.
Explore them in our dedicated catalogues.








pictorial
list

pictorial

list

				
AFI IP54 77	AGAPE 60 IP54 111	AGAPE 80 IP54 111		
				
ALIX IP65 26	ALF IP65 76	ALVA 100 IP54 116	ALVA 60 IP54 116	ANCONA IP54 55
				
APULIA R IP54 19	APULIA S IP54 20	ARBAX 1 IP54 48	ARBAX 2 IP54 48	ARIDA IP54 49
				
ARO IP54 23	AROS IP67 14	BOOMBOX BUCKET IP44 126	BOOMBOX MEDIUM IP44 125	CASOLA IP54 47
				
CASORIA R IP54 75	CASORIA S IP54 75	CASORIA SLIM IP54 76	CASPER ROUND IP54 18	CASPER SQUARE IP54 17
				
CAVALIO IP65 30 91	CAVALIO IP65 60 91	CAVALIO IP65 80 92	CIVITA IP54 61	CIVITA SENSOR IP54 62


				
CLEAN R IP44 7W 9	CLEAN S IP44 7W 10	CONYON IP54 10W 21	CONYON IP54 15W 22	CONYON IP54 25W 22
				
COSEL IP54 47	CREMONA M IP54 54	CREMONA S IP54 54	CUBIC IP54 18W 66	OUTDOOR SMART PLUG 127
				
DURANTE IP54 63	DURANTE IP54 SENSOR 64	EBRO 105 IP65 25W 88	EBRO 155 IP65 32W 88	EBRO 60 IP65 18W 87
				
EBRO WALL IP65 87	EDVARD IP65 118	EDVIN IP65 118	EIGER IP54 24	ELIAS 30 IP65 90
				
ELIAS 60 IP65 90	EMILIO 1 IP54 7	ENOK ROUND WALL IP65 74	ENOK SQUARE WALL IP65 74	ERIN IP54 78
				
ERIN IP54 SENSOR 78	EZIO 1 IP54 8	FANO R30 E27 IP54 15	FANO S22 LED IP54 16	FANO S30 E27 IP54 15




FIGARO 650
IP54 100




FIGARO WALL
IP54 99



FLOKI IP65 119



FRAME IP65
30 83



FRAME IP65
60 84




FRAME IP65
WALL 83




FRAME SPIKE
V.2 IP65 85




FRAME WALL
V.2 IP65 85




FREDO 58
IP54 115



FREDO 98
IP54 115




GAMBINO
IP54 51



GAMBINO XL
WALL IP65 51




GILBERTO
TABLE IP54 121




GINNA 3 IP54 68




GORAN
SENSOR IP54 40



GUIDO WALL
IP54 69



GUSTO 120
WALL IP54 71



GUSTO 90
WALL IP54 71



HAGER 1 WALL
IP54 95




HAGER 2 WALL
IP54 95



HAGER 50
IP54 96



HAVANA
FLOOR IP44 122



HEDDA IP54 120



HYDE OVAL
IP54 13



HYDE SQUARE
IP54 13



IKA ROUND
IP65 2



IKA SQUARE
IP65 1



IVER IP54 59



IVER IP54
SENSOR 60



JAKE WALL 2
IP54 39



JASON 2 SQ
WALL IP65 30



JASON 2 WALL
IP65 29



JASON SQ
WALL IP65 30



JASON WALL
IP65 29



JOE SQUARE
IP54 28



JOE TUBE IP54 27



JOE WALL 2
IP54 28



JOE WALL IP54 27



LANTERN E27
IP54 98




LANTERN
PENDANT IP54 97




LANTERN WALL
E27 IP54 97




LARS ROUND
IP54 57



LARS SQUARE
IP54 57



LENNART 100
IP54 70




LENNART 150
IP54 70



LETICIA 2 IP54 50



LIVIO 2 IP54 67



LUCID IP44
10W 11



MATERA 600
IP54 112



MIKKEL IP65 81



MIKKEL WALL
IP65 81



MIRT IP65 15W 12



MIRT IP65 8W 12



MORTEN IP54
WALL 65



NIKLAS 2 WALL
IP44 80



NIKLAS WALL
IP44 79



NIKLAS WALL
SENSOR IP44 79



NILS 500 IP44 110




NILS 800 IP44 110



NILS WALL
IP44 109



NILS WALL
SENSOR IP44 109



OPLO 650
IP54 101



OPLO NUMBER
WALL IP54 102



OPLO WALL
IP54 101




OSVALD IP65 73




OUTDOOR
PLUG IP54 128



OVE WALL
IP54 77



PABLO 1 IP54 5



PAPIKO IP65 21



RASMUS IP65 82



RASMUS WALL
IP65 82



REZIA 2 IP54 36



REZIA IP54 35



RIMINI 1 IP54 37



RIMINI 1 SQU-
ARE IP54 38



RIMINI 2 IP54 37



RIMINI 2 SQU-
ARE IP54 38



ROLAND 2 SQ
WALL IP65 32



ROLAND 2
WALL IP65 31



ROLAND SQ
WALL IP65 32



ROLAND WALL
IP65 31



ROLF 1 WALL
IP44 105



ROLF 2 500
IP44 105




ROLF 2 900
IP44 106




ROMOLO R
IP65 3




ROMOLO S
IP65 4




ROSVIK 25
IP54 2x 6W 43



ROSVIK 25
IP54 6W 43




ROSVIK 50
IP54 10W 44




ROSVIK 50
IP54 2x 10W 44




ROTOR E27
IP65 25



SILL 600 IP54 89




SILL WALL IP54 89




SORANO 500
IP54 107



SORANO 700
IP54 108



SORANO WALL
IP54 107



SVALA IP54 53




SVAN IP54 103



SVAN SENSOR
IP54 104



SVERRE IP54 113




TITO 1 IP54 6




TONIO 1 IP54 25



TRACK IP65 138



TRAST 1 IP54 117




TRAST 2 IP54 117



ULF 1 GU10
SENSOR IP44 41



ULF 2 GU10
IP44 42



VENETO IP54 46




VENTA IP54 45




VILAGIO 30
IP65 93




VILAGIO 60
IP65 93




ZARIA A IP65 33



ZARIA B IP65 33



ZARIA C IP65 34




ZARIA D IP65 34



ZITA XL IP54 58

**OUTDOOR
LAMPS**


IKA SQUARE IP65



Code / Color	Light source	Protection class	Material	Finish
○ AZ2864 white	1x GU10 only LED	IP65	Aluminium	Matt
● AZ4230 black	1x GU10 only LED	IP65	Aluminium	Matt
● AZ4231 dark grey	1x GU10 only LED	IP65	Aluminium	Matt




IKA ROUND IP65



Code / Color	Light source	Protection class	Material	Finish
○ AZ2865 white	1x GU10 only LED	IP65	Aluminium	Matt
● AZ3017 black	1x GU10 only LED	IP65	Aluminium	Matt
● AZ4232 dark grey	1x GU10 only LED	IP65	Aluminium	Matt



ROMOLO R IP65



Code / Color	Light source	Protection class	Material	Finish
○ AZ5389 white	1x GU10 only LED	IP65	Aluminium	Matt
● AZ5390 black	1x GU10 only LED	IP65	Aluminium	Matt




ROMOLO S IP65



Code / Color	Light source	Protection class	Material	Finish
○ AZ5391 white	1x GU10 only LED	IP65	Aluminium	Matt
● AZ5392 black	1x GU10 only LED	IP65	Aluminium	Matt




PABLO 1 IP54



Code / Color	Light source	Protection class	Material	Finish
○ AZ0817 white	1x GU10 only LED	IP54	Aluminium	Matt
● AZ1015 aluminium	1x GU10 only LED	IP54	Aluminium	Brushed
● AZ4140 black	1x GU10 only LED	IP54	Aluminium	Matt




TITO 1 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ0814 aluminium	1x GU10 only LED	IP54	Aluminium	Brushed
○ AZ0815 white	1x GU10 only LED	IP54	Aluminium	Matt
● AZ4139 black	1x GU10 only LED	IP54	Aluminium	Matt




EMILIO 1 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ0808 chrome	1x GU10 only LED	IP54	Aluminium	Shiny
● AZ0809 black	1x GU10 only LED	IP54	Aluminium	Matt
● AZ0810 aluminium	1x GU10 only LED	IP54	Aluminium	Brushed
○ AZ0871 white	1x GU10 only LED	IP54	Aluminium	Matt




EZIO 1 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ0811 aluminium	1x GU10 only LED	IP54	Aluminium	Brushed
● AZ0812 black	1x GU10 only LED	IP54	Aluminium	Matt
○ AZ0813 white	1x GU10 only LED	IP54	Aluminium	Matt
● AZ1051 chrome	1x GU10 only LED	IP54	Aluminium	Shiny






CLEAN R IP44 7W CCT SWITCH



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	IP	CCT	Type of control	Material	Finish
●AZ5986 black	1x LED integrated	7W	420lm	3000/4000/6000K	24°	≥ 90	IP44	Yes	CCT Switch	Aluminium / Glass	Matt
○AZ5987 white	1x LED integrated	7W	420lm	3000/4000/6000K	24°	≥ 90	IP44	Yes	CCT Switch	Aluminium / Glass	Matt
●AZ5988 gold	1x LED integrated	7W	420lm	3000/4000/6000K	24°	≥ 90	IP44	Yes	CCT Switch	Aluminium / Glass	Shiny




CLEAN S IP44 7W CCT SWITCH



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	IP	CCT	Type of control	Material	Finish
●AZ5989 black	1x LED integrated	7W	420lm	3000/4000/6000K	24°	≥ 90	IP44	Yes	CCT Switch	Aluminium / Glass	Matt
○AZ5990 white	1x LED integrated	7W	420lm	3000/4000/6000K	24°	≥ 90	IP44	Yes	CCT Switch	Aluminium / Glass	Matt
●AZ5991 gold	1x LED integrated	7W	420lm	3000/4000/6000K	24°	≥ 90	IP44	Yes	CCT Switch	Aluminium / Glass	Shiny




LUCID IP44 10W CCT SWITCH



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	IP	CCT	Type of control	Material	Finish
● AZ6042 black	1x LED integrated	10W	800lm	3000/4000/6000K	120°	≥ 90	IP44	Yes	CCT Switch	Aluminium / PVC	Matt
○ AZ6043 white	1x LED integrated	10W	800lm	3000/4000/6000K	120°	≥ 90	IP44	Yes	CCT Switch	Aluminium / PVC	Matt




MIRT IP65 8W 3000/4000 BK NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ7094 black	1x LED integrated	8W	640lm	3000K	IP65	Aluminium/PVC	Matt
● AZ7096 black	1x LED integrated	8W	640lm	4000K	IP65	Aluminium/PVC	Matt

MIRT IP65 15W 3000/4000 BK NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ7095 black	1x LED integrated	15W	1200lm	3000K	IP65	Aluminium/PVC	Matt
● AZ7097 black	1x LED integrated	15W	1200lm	4000K	IP65	Aluminium/PVC	Matt

HYDE OVAL IP54





Code / Color	Light source	Protection class	Material	Finish
● AZ3325 aluminium	1x GU10 only LED	IP54	Metal / Glass / PVC	Brushed

HYDE SQUARE IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ3326 aluminium	1x GU10 only LED	IP54	Metal / Glass / PVC	Brushed


AROS IP67 3000/4000K



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5843 aluminium / clear	1x LED integrated	12W	960lm	3000K	15°	≥ 80	IP67	Metal / Glass	Brushed
● AZ5844 aluminium / clear	1x LED integrated	12W	960lm	4000K	15°	≥ 80	IP67	Metal / Glass	Brushed



FANO S30 E27 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4372 black	2x E27 only LED	IP54	Aluminium	Matt
○ AZ4374 white	2x E27 only LED	IP54	Aluminium	Matt

FANO R30 E27 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4369 dark grey	2x E27 only LED	IP54	Aluminium	Matt
● AZ4371 black	2x E27 only LED	IP54	Aluminium	Matt
○ AZ4373 white	2x E27 only LED	IP54	Aluminium	Matt


FANO S22 LED IP54



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2186 dark grey	1x LED integrated	9W	582lm	3000K	IP54	Aluminium / Acrylic	Matt




CASPER SQUARE 4000K IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4499 dark grey	1x LED integrated	15W	1200lm	4000K	111°	≥ 80	IP54	Aluminium / PVC	Matt




CASPER ROUND 3000/4000K IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4490 black	1x LED integrated	15W	1200lm	3000K	111°	≥ 80	IP54	Aluminium / PVC	Matt
● AZ4492 dark grey	1x LED integrated	15W	1200lm	3000K	111°	≥ 80	IP54	Aluminium / PVC	Matt
○ AZ4494 white	1x LED integrated	15W	1200lm	3000K	111°	≥ 80	IP54	Aluminium / PVC	Matt
● AZ4491 black	1x LED integrated	15W	1200lm	4000K	111°	≥ 80	IP54	Aluminium / PVC	Matt
● AZ4493 dark grey	1x LED integrated	15W	1200lm	4000K	111°	≥ 80	IP54	Aluminium / PVC	Matt
○ AZ4495 white	1x LED integrated	15W	1200lm	4000K	111°	≥ 80	IP54	Aluminium / PVC	Matt




APULIA R IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
●AZ4333 black	1x LED integrated	8W	640lm	3000K	99°	≥ 80	IP54	Aluminium / Acrylic	Matt
○AZ4334 white	1x LED integrated	8W	640lm	3000K	99°	≥ 80	IP54	Aluminium / Acrylic	Matt
●AZ4335 dark grey	1x LED integrated	8W	640lm	3000K	99°	≥ 80	IP54	Aluminium / Acrylic	Matt



APULIA S IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
●AZ4336 black	1x LED integrated	8W	640lm	3000K	101°	≥ 80	IP54	Aluminium / Acrylic	Matt
○AZ4337 white	1x LED integrated	8W	640lm	3000K	101°	≥ 80	IP54	Aluminium / Acrylic	Matt
●AZ4338 dark grey	1x LED integrated	8W	640lm	3000K	101°	≥ 80	IP54	Aluminium / Acrylic	Matt



PAPIKO IP65



Code / Color	Light source	Protection class	Material	Finish
● AZ4216 black	1x GU10 only LED	IP65	Aluminium / Glass	Matt
○ AZ4217 white	1x GU10 only LED	IP65	Aluminium / Glass	Matt
● AZ6077 gold	1x GU10 only LED	IP65	Aluminium / Glass	Shiny

CONYON IP54 15W CCT SWITCH



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	CCT	Type of control	Material	Finish
● AZ6027 black	1x LED integrated	15W	1200lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt
○ AZ6028 white	1x LED integrated	15W	1200lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt

CONYON IP54 10W CCT SWITCH




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	CCT	Type of control	Material	Finish
● AZ6025 black	1x LED integrated	10W	800lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt
○ AZ6026 white	1x LED integrated	10W	800lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt

CONYON IP54 25W CCT SWITCH



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	CCT	Type of control	Material	Finish
● AZ6029 black	1x LED integrated	25W	2000lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt
○ AZ6030 white	1x LED integrated	25W	2000lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt


ARO IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ1360 chrome	1x GU10 only LED	IP54	Aluminium	Shiny
● AZ2558 black	1x GU10 only LED	IP54	Aluminium	Matt
○ AZ2559 white	1x GU10 only LED	IP54	Aluminium	Matt
● AZ5240 gold	1x GU10 only LED	IP54	Aluminium	Shiny




EIGER IP54



Code / Color	Light source	Protection class	Material	Finish
○ AZ4259 white	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ4260 black	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ4261 black / gold	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ5239 gold	1x GU10 only LED	IP54	Aluminium	Shiny




ROTOR E27 IP65




Code / Color	Light source	Protection class	Material	Finish
○ AZ6066 white	1x E27 only LED	IP65	Aluminium / Glass	Matt
● AZ6075 black	1x E27 only LED	IP65	Aluminium / Glass	Matt

TONIO 1 IP54



Code / Color	Light source	Protection class	Material	Finish
○ AZ0870 white	1x GU10 only LED	IP54	Aluminium	Matt

ALIX IP65



Code / Color	Light source	Protection class	Material	Finish
● AZ4056 black	1x GU10 only LED	IP65	Aluminium	Matt
● AZ4057 grey	1x GU10 only LED	IP65	Aluminium	Matt
○ AZ4055 white	1x GU10 only LED	IP65	Aluminium	Matt



JOE TUBE IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ3313 dark grey	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ3314 black	1x GU10 only LED	IP54	Aluminium / Glass	Matt
○ AZ3315 white	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ3316 light grey	1x GU10 only LED	IP54	Aluminium / Glass	Matt

JOE WALL IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ3317 dark grey	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ3318 black	1x GU10 only LED	IP54	Aluminium / Glass	Matt

JOE WALL 2 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ3319 dark grey	2x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ3320 black	2x GU10 only LED	IP54	Aluminium / Glass	Matt
○ AZ4316 white	2x GU10 only LED	IP54	Aluminium / Glass	Matt

JOE SQUARE IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ3323 dark grey	1x GU10 only LED	IP54	Aluminium / Glass	Matt
○ AZ3324 white	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ4270 black	1x GU10 only LED	IP54	Aluminium / Glass	Matt

JASON WALL IP65



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5217 black	1x LED integrated	9W	720lm	4000K	65°	≥ 80	IP65	PVC	Matt
● AZ5218 dark grey	1x LED integrated	9W	720lm	4000K	65°	≥ 80	IP65	PVC	Matt / Frosted

JASON 2 WALL IP65



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5219 black	2x LED integrated	18W	1440lm	4000K	65°	≥ 80	IP65	PVC	Matt
● AZ5220 dark grey	2x LED integrated	18W	1440lm	4000K	65°	≥ 80	IP65	PVC	Matt / Frosted

JASON SQ WALL IP65




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5221 black	1x LED integrated	9W	720lm	4000K	65°	≥ 80	IP65	PVC	Matt
● AZ5222 dark grey	1x LED integrated	9W	720lm	4000K	65°	≥ 80	IP65	PVC	Matt / Frosted

JASON 2 SQ WALL IP65




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5223 black	2x LED integrated	18W	1440lm	4000K	65°	≥ 80	IP65	PVC	Matt
● AZ5224 dark grey	2x LED integrated	18W	1440lm	4000K	65°	≥ 80	IP65	PVC	Matt / Frosted

ROLAND WALL IP65




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5225 dark grey	1x LED integrated	9W	720lm	3000K	85°	≥ 80	IP65	PVC	Matt
○ AZ5226 white	1x LED integrated	9W	720lm	3000K	85°	≥ 80	IP65	PVC	Matt

ROLAND 2 WALL IP65



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5227 dark grey	2x LED integrated	18W	1440lm	3000K	85°	≥ 80	IP65	PVC	Matt
○ AZ5228 white	2x LED integrated	18W	1440lm	3000K	85°	≥ 80	IP65	PVC	Matt

ROLAND SQ WALL IP65




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5229 dark grey	1x LED integrated	9W	720lm	3000K	85°	≥ 80	IP65	PVC	Matt
○ AZ5230 white	1x LED integrated	9W	720lm	3000K	85°	≥ 80	IP65	PVC	Matt

ROLAND 2 SQ WALL IP65




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5231 dark grey	2x LED integrated	18W	1440lm	3000K	85°	≥ 80	IP65	PVC	Matt
○ AZ5232 white	2x LED integrated	18W	1440lm	3000K	85°	≥ 80	IP65	PVC	Matt

ZARIA A IP65 CCT SWITCH




Code / Color	Light source	Power	Lumens	Kelvins	CRI	Protection class	CCT	Type of control	Material	Finish
○ AZ5233 white	1x LED integrated	5W	400lm	3000 / 4000 / 6500K	≥ 80	IP65	Yes	CCT Switch	PVC	Matt

ZARIA B IP65 CCT SWITCH




Code / Color	Light source	Power	Lumens	Kelvins	CRI	Protection class	CCT	Type of control	Material	Finish
○ AZ5234 white	1x LED integrated	8W	640lm	3000 / 4000 / 6500K	≥ 80	IP65	Yes	CCT Switch	PVC	Matt

ZARIA C IP65 CCT SWITCH




Code / Color	Light source	Power	Lumens	Kelvins	CRI	Protection class	CCT	Type of control	Material	Finish
○ AZ5235 white	1x LED integrated	15W	1200lm	3000 / 4000 / 6500K	≥ 80	IP65	Yes	CCT Switch	PVC	Matt

ZARIA D IP65 CCT SWITCH



Code / Color	Light source	Power	Lumens	Kelvins	CRI	Protection class	CCT	Type of control	Material	Finish
○ AZ5236 white	1x LED integrated	20W	1600lm	3000 / 4000 / 6500K	≥ 80	IP65	Yes	CCT Switch	PVC	Matt


REZIA IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4344 dark grey	1x GU10 only LED	IP54	Aluminium / Glass	Matt




REZIA 2 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4345 black	2x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ4346 dark grey	2x GU10 only LED	IP54	Aluminium / Glass	Matt




RIMINI 1 IP54




Code / Color	Light source	Protection class	Material	Finish
○ AZ2175 white	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ2176 dark grey	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ4265 black	1x GU10 only LED	IP54	Aluminium / Glass	Matt

RIMINI 2 IP54




Code / Color	Light source	Protection class	Material	Finish
○ AZ2177 white	2x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ2178 dark grey	2x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ4266 black	2x GU10 only LED	IP54	Aluminium / Glass	Matt

RIMINI 1 SQUARE IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4311 dark grey	1x GU10 only LED	IP54	Aluminium / Glass	Matt
○ AZ4313 white	1x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ4267 black	1x GU10 only LED	IP54	Aluminium / Glass	Matt

RIMINI 2 SQUARE IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4312 dark grey	2x GU10 only LED	IP54	Aluminium / Glass	Matt
○ AZ4314 white	2x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ4268 black	2x GU10 only LED	IP54	Aluminium / Glass	Matt

JAKE WALL 2 IP54





Code / Color	Light source	Protection class	Material	Finish
● AZ3321 dark grey	2x GU10 only LED	IP54	Aluminium / Glass	Matt
○ AZ3322 white	2x GU10 only LED	IP54	Aluminium / Glass	Matt
● AZ4269 black	2x GU10 only LED	IP54	Aluminium / Glass	Matt




GORAN SENSOR IP54



Code / Color	Light source	Protection class	Type of control	Material	Finish
● AZ4695 black	1x GU10 only LED	IP54	MOTION SENSOR	Aluminium / Glass / PVC	Matt
● AZ4696 dark grey	1x GU10 only LED	IP54	MOTION SENSOR	Aluminium / Glass / PVC	Matt




ULF 1 GU10 WALL SENSOR IP44



Code / Color	Light source	Protection class	Type of control	Material	Finish
● AZ4455 dark grey	1x GU10 only LED	IP44	MOTION SENSOR	Aluminium / Glass	Matt


tilt

   TIME-lighting time adjustment
SENS-range adjustment
LUX-dusk sensitivity adjustment



ULF 2 GU10 IP44



Code / Color	Light source	Protection class	Material	Finish
● AZ4473 black	2x GU10 only LED	IP44	Aluminium / Glass	Matt
● AZ4474 dark grey	2x GU10 only LED	IP44	Aluminium / Glass	Matt



tilt



ROSVIK 25 IP54 6W 3000/4000K



Light direction: Down




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
●AZ5847 black	1x LED integrated	6W	480lm	3000K	108°	≥ 80	IP54	Aluminium / PVC	Matt
●AZ5851 black	1x LED integrated	6W	480lm	4000K	108°	≥ 80	IP54	Aluminium / PVC	Matt

ROSVIK 25 IP54 2x 6W 3000/4000K



Light direction: Up & Down

Light direction: Up & Down




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
●AZ5848 black	2x LED integrated	2x 6W	#ARG!lm	3000K	108°	≥ 80	IP54	Aluminium / PVC	Matt
●AZ5852 black	2x LED integrated	2x 6W	#ARG!lm	4000K	108°	≥ 80	IP54	Aluminium / PVC	Matt

ROSVIK 50 IP54 10W 3000/4000K



Light direction: Down




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
●AZ5849 black	1x LED integrated	10W	800lm	3000K	108°	≥ 80	IP54	Aluminium / PVC	Matt
●AZ5853 black	1x LED integrated	10W	800lm	4000K	108°	≥ 80	IP54	Aluminium / PVC	Matt

ROSVIK 50 IP54 2x 10W 3000/4000K




Light direction: Up & Down

Light direction: Up & Down



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
●AZ5850 black	2x LED integrated	2x 10W	#ARG!lm	3000K	108°	≥ 80	IP54	Aluminium / PVC	Matt
●AZ5854 black	2x LED integrated	2x 10W	#ARG!lm	4000K	108°	≥ 80	IP54	Aluminium / PVC	Matt


VENTA IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4350 black	1x E27 only LED	IP54	Aluminium / PVC	Matt
● AZ4351 dark grey	1x E27 only LED	IP54	Aluminium / PVC	Matt



VENETO IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4348 black	1x E27 only LED	IP54	Aluminium / PVC	Matt
● AZ4349 dark grey	1x E27 only LED	IP54	Aluminium / PVC	Matt




CASOLA IP54




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4355 black	1x LED integrated	12W	960lm	3000K	0°	≥ 80	IP54	Aluminium / PVC	Matt
● AZ4356 dark grey	1x LED integrated	12W	960lm	3000K	0°	≥ 80	IP54	Aluminium / PVC	Matt

COSEL IP54




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4353 black / clear	2x LED integrated	15W	1200lm	3000K	0°	≥ 80	IP54	Aluminium / PVC	Matt / Frosted
● AZ4354 dark grey / clear	2x LED integrated	15W	1200lm	3000K	0°	≥ 80	IP54	Aluminium / PVC	Matt / Frosted

ARBAX 1 IP54




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4341 dark grey	1x LED integrated	7W	560lm	3000K	0°	≥ 80	IP54	Aluminium / PVC	Matt / Frosted

ARBAX 2 IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4342 dark grey	2x LED integrated	13W	1040lm	3000K	0°	≥ 80	IP54	Aluminium / PVC	Matt / Frosted


ARIDA IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4347 dark grey	1x E27 only LED	IP54	Aluminium / PVC	Matt




LETICIA 2 IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	Material	Finish
● AZ2189 dark grey	2x LED integrated	6W	400lm	3000K	max 90°	IP54	Aluminium	Matt
○ AZ2190 white	2x LED integrated	6W	400lm	3000K	max 90°	IP54	Aluminium	Matt
● AZ4469 black	2x LED integrated	6W	400lm	3000K	max 90°	IP54	Aluminium	Matt



GAMBINO XL WALL IP65 3000/4000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	Material	Finish
● AZ7092 dark grey	1x LED integrated	20W	1800lm	3000K	max 90°	IP65	Aluminium	Matt
● AZ7093 dark grey	1x LED integrated	20W	1800lm	4000K	max 90°	IP65	Aluminium	Matt

GAMBINO 3000/4000K IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	Material	Finish
○ AZ0950 white	2x LED integrated	6W	480lm	3000K	max 90°	IP54	Aluminium	Matt
● AZ0957 dark grey	2x LED integrated	6W	480lm	3000K	max 90°	IP54	Aluminium	Matt
● AZ4148 black	2x LED integrated	6W	480lm	3000K	max 90°	IP54	Aluminium	Matt
● AZ4471 dark grey	2x LED integrated	6W	480lm	4000K	max 90°	IP54	Aluminium	Matt
○ AZ4472 white	2x LED integrated	6W	480lm	4000K	max 90°	IP54	Aluminium	Matt



SVALA IP54 3000K



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	CCT	Type of control	Material	Finish
● AZ5855 black	2x LED integrated	2x 3W	270lm	3000K	0 – 125°	≥ 80	IP54	Yes	CCT Switch	Aluminium / PVC	Matt
● AZ5856 dark grey	2x LED integrated	2x 3W	270lm	3000K	0 – 125°	≥ 80	IP54	Yes	CCT Switch	Aluminium / PVC	Matt




CREMONA S IP54




Code / Color	Light source	Power	Lumens	Kelvins	CRI	Protection class	Material	Finish
○ AZ2179 white	2x LED integrated	7W	560lm	3000K	≥ 80	IP54	Aluminium / Glass	Matt
● AZ2180 dark grey	2x LED integrated	7W	560lm	3000K	≥ 80	IP54	Aluminium / Glass	Matt
● AZ4339 black	2x LED integrated	7W	560lm	3000K	≥ 80	IP54	Aluminium / Glass	Matt

CREMONA M IP54




Code / Color	Light source	Power	Lumens	Kelvins	CRI	Protection class	Material	Finish
○ AZ2181 white	2x LED integrated	10W	800lm	3000K	≥ 80	IP54	Aluminium / Glass	Matt
● AZ2182 dark grey	2x LED integrated	10W	800lm	3000K	≥ 80	IP54	Aluminium / Glass	Matt
● AZ4340 black	2x LED integrated	10W	800lm	3000K	≥ 80	IP54	Aluminium / Glass	Matt

ANCONA S IP54




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2191 black	1x LED integrated	6W	445lm	3000K	IP54	Aluminium	Matt
○ AZ2192 white	1x LED integrated	6W	445lm	3000K	IP54	Aluminium	Matt
● AZ7141 beige	1x LED integrated	6W	445lm	3000K	IP54	Aluminium	Matt

ANCONA M IP54




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2194 black	1x LED integrated	9W	890lm	3000K	IP54	Aluminium	Matt
○ AZ2193 white	1x LED integrated	9W	890lm	3000K	IP54	Aluminium	Matt
● AZ7142 beige	1x LED integrated	9W	890lm	3000K	IP54	Aluminium	Matt

ANCONA L IP54



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ2853 white	1x LED integrated	12W	721lm	3000K	IP54	Aluminium	Matt
● AZ2852 black	1x LED integrated	12W	721lm	3000K	IP54	Aluminium	Matt
● AZ7143 beige	1x LED integrated	12W	721lm	3000K	IP54	Aluminium	Matt

ANCONA XL IP54




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ7144 white	1x LED integrated	15W	1110lm	3000K	IP54	Aluminium	Matt
● AZ7145 black	1x LED integrated	15W	1110lm	3000K	IP54	Aluminium	Matt
● AZ7146 beige	1x LED integrated	15W	1110lm	3000K	IP54	Aluminium	Matt

LARS ROUND IP54



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
●AZ4504 dark grey	2x LED integrated	13W	1040lm	3000K	IP54	Aluminium	Matt

LARS SQUARE IP54



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
●AZ4507 dark grey	2x LED integrated	13W	1040lm	4000K	IP54	Aluminium	Matt


ZITA XL IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
●AZ2200 dark grey	2x LED integrated	6W	480lm	3000K	68°	≥ 80	IP54	Aluminium	Matt
●AZ4150 black	2x LED integrated	6W	480lm	3000K	68°	≥ 80	IP54	Aluminium	Matt




IVER IP54 3000/4000K



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5703 dark grey	1x LED integrated	20W	1600lm	3000K	120°	≥ 90	IP54	Aluminium / PVC	Matt
● AZ5704 dark grey	1x LED integrated	20W	1600lm	4000K	120°	≥ 90	IP54	Aluminium / PVC	Matt




IVER IP54 SENSOR 3000/4000K



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Type of control	Material	Finish
● AZ5701 dark grey	1x LED integrated	20W	1600lm	3000K	120°	≥ 90	IP54	MOTION SENSOR	Aluminium / PVC	Matt
● AZ5702 dark grey	1x LED integrated	20W	1600lm	4000K	120°	≥ 90	IP54	MOTION SENSOR	Aluminium / PVC	Matt




CIVITA IP54





Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4361 dark grey	1x LED integrated	15W	1200lm	3000K	122°	≥ 80	IP54	Aluminium / PVC	Matt / Frosted





CIVITA SENSOR IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Type of control	Material	Finish
● AZ4360 dark grey	1x LED integrated	15W	1200lm	3000K	122°	≥ 80	IP54	MOTION SENSOR	Aluminium / PVC	Matt





DURANTE IP54 CCT SWITCH NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
● AZ6537 black	1x LED integrated	21W	1680lm	2800 / 4000 / 6000K	IP54	Yes	CCT Switch	Aluminium / PVC	Matt



DURANTE IP54 SENSOR CCT SWITCH NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
● AZ6536 black	1x LED integrated	21W	1680lm	2800 / 4000 / 6000K	IP54	Yes	CCT Switch	Aluminium / PVC	Matt

SENSOR DISTANCE: 0,5-10m | HEIGHT: 2-2,5m | ANGLES: 150° + 90° | TIME: 30s- 3min | DUSK SENSITIVITY




MORTEN IP54 WALL 3000/4000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6637 dark grey	1x LED integrated	10W	800lm	3000K	IP54	Aluminium / PVC	Matt
○ AZ6639 white	1x LED integrated	10W	800lm	3000K	IP54	Aluminium / PVC	Matt
● AZ6638 dark grey	1x LED integrated	10W	800lm	4000K	IP54	Aluminium / PVC	Matt
○ AZ6640 white	1x LED integrated	10W	800lm	4000K	IP54	Aluminium / PVC	Matt




CUBIC IP54 18W 3000/4000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6687 black	1x LED integrated	18W	1440lm	3000K	IP54	Aluminium / PVC	Matt
● AZ6689 dark grey	1x LED integrated	18W	1440lm	3000K	IP54	Aluminium / PVC	Matt
● AZ6688 black	1x LED integrated	18W	1440lm	4000K	IP54	Aluminium / PVC	Matt
● AZ6690 dark grey	1x LED integrated	18W	1440lm	4000K	IP54	Aluminium / PVC	Matt




LIVIO 2 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ0888 light grey	2x GU10 only LED	IP54	Aluminium	Matt



GINNA 3 IP54



Code / Color	Light source	Power	Lumens	Kelvins	CRI	Protection class	Material	Finish
● AZ3484 black	6x LED integrated	6W	480lm	3000K	≥ 80	IP54	Aluminium	Matt
● AZ3485 gold	6x LED integrated	6W	480lm	3000K	≥ 80	IP54	Aluminium	Matt
● AZ4194 dark grey	6x LED integrated	6W	480lm	3000K	≥ 80	IP54	Aluminium	Matt
○ AZ4195 white	6x LED integrated	6W	480lm	3000K	≥ 80	IP54	Aluminium	Matt



GUIDO WALL IP54 3000K



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5339 black	1x LED integrated	12W	960lm	3000K	120°	≥ 90	IP54	Aluminium / PVC	Matt




LENNART 100 IP54 3000/4000K




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5696 black	1x LED integrated	18W	1440lm	3000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ7147 beige	1x LED integrated	18W	1440lm	3000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ5697 black	1x LED integrated	18W	1440lm	4000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ7148 beige	1x LED integrated	18W	1440lm	4000K	120°	≥ 90	IP54	Aluminium	Matt

LENNART 150 IP54 3000/4000K




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5698 black	1x LED integrated	24W	1920lm	3000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ7149 beige	1x LED integrated	24W	1920lm	3000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ5699 black	1x LED integrated	24W	1920lm	4000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ7150 beige	1x LED integrated	24W	1920lm	3000K	120°	≥ 90	IP54	Aluminium	Matt

GUSTO 90 WALL IP54 3000/4000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6839 black	1x LED integrated	9W	365lm	3000K	IP54	Aluminium	Matt
● AZ6840 dark grey	1x LED integrated	9W	365lm	3000K	IP54	Aluminium	Matt
● AZ6843 black	1x LED integrated	9W	365lm	4000K	IP54	Aluminium	Matt
● AZ6844 dark grey	1x LED integrated	9W	365lm	4000K	IP54	Aluminium	Matt

GUSTO 120 WALL IP54 3000/4000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6837 black	1x LED integrated	12W	490lm	3000K	IP54	Aluminium	Matt
● AZ6838 dark grey	1x LED integrated	12W	490lm	3000K	IP54	Aluminium	Matt
● AZ6841 black	1x LED integrated	12W	490lm	4000K	IP54	Aluminium	Matt
● AZ6842 dark grey	1x LED integrated	12W	490lm	4000K	IP54	Aluminium	Matt



OSVALD IP65



Code / Color	Light source	Protection class	Material	Finish
● AZ4489 black	1x E27 only LED	IP65	Aluminium / Glasss	Matt



ENOK ROUND WALL 3000K IP65



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4460 dark grey	1x LED integrated	10W	800lm	3000K	133°	≥ 80	IP65	Aluminium / PVC	Matt

ENOK SQUARE WALL 3000/4000K IP65




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4461 black	1x LED integrated	10W	800lm	3000K	136°	≥ 80	IP65	Aluminium / PVC	Matt
● AZ4462 black	1x LED integrated	10W	800lm	4000K	137°	≥ 80	IP65	Aluminium / PVC	Matt

CASORIA R IP54




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4365 dark grey	1x LED integrated	7W	560lm	3000K	0°	≥ 80	IP54	Aluminium / PVC	Matt
● AZ4366 black	1x LED integrated	7W	560lm	3000K	0°	≥ 80	IP54	Aluminium / PVC	Matt

CASORIA S IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4367 dark grey	1x LED integrated	7W	560lm	3000K	69°	≥ 80	IP54	Aluminium / PVC	Matt

CASORIA SLIM IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4368 dark grey	1x LED integrated	7W	560lm	3000K	68°	≥ 80	IP54	Aluminium / PVC	Matt

ALF SQUARE 3000K DGR IP65




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4466 dark grey	1x LED integrated	2,2W	26lm	3000K	10°	≥ 80	IP65	Aluminium / PVC	Matt

AFI 3000/4000K IP54




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4510 dark grey	1x LED integrated	2,5W	200lm	3000K	36°	≥ 80	IP54	Aluminium	Matt
● AZ4513 black	1x LED integrated	2,5W	200lm	4000K	40°	≥ 80	IP54	Aluminium	Matt
● AZ4511 dark grey	1x LED integrated	2,5W	200lm	4000K	40°	≥ 80	IP54	Aluminium	Matt
● AZ4512 black	1x LED integrated	2,5W	200lm	3000K	36°	≥ 80	IP54	Aluminium	Matt

OVE WALL 4000K IP54




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4509 dark grey	1x LED integrated	2,5W	200lm	4000K	52°	≥ 80	IP54	Aluminium	Matt

ERIN IP54



Code / Color	Light source	Power	Lumens	Kelvins	CRI	Protection class	Material	Finish
○ AZ6078 white	1x LED integrated	3W	240lm	3000K	≥ 80	IP54	Aluminium	Matt
● AZ6080 black	1x LED integrated	3W	240lm	3000K	≥ 80	IP54	Aluminium	Matt

ERIN IP54 SENSOR



Code / Color	Light source	Power	Lumens	Kelvins	CRI	Protection class	Type of control	Material	Finish
○ AZ6079 white	1x LED integrated	3W	240lm	3000K	≥ 80	IP54	MOTION SENSOR	Aluminium	Matt
● AZ6081 black	1x LED integrated	3W	240lm	3000K	≥ 80	IP54	MOTION SENSOR	Aluminium	Matt

NIKLAS WALL IP44




Code / Color	Light source	Protection class	Material	Finish
● AZ4486 black	1x E27 only LED	IP44	Aluminium / Glass	Matt

NIKLAS 2 WALL IP44



Code / Color	Light source	Protection class	Material	Finish
● AZ4488 black	2x E27 only LED	IP44	Aluminium / Glass	Matt


NIKLAS WALL SENSOR IP44



Code / Color	Light source	Protection class	Type of control	Material	Finish
● AZ4487 black	1x E27 only LED	IP44	MOTION SENSOR	Aluminium / Glass	Matt




MIKKEL WALL IP65




Code / Color	Light source	Protection class	Material	Finish
●AZ4484 black	1x E27 only LED	IP65	Aluminium / PVC	Matt

MIKKEL IP65




Code / Color	Light source	Protection class	Material	Finish
●AZ4485 black	1x E27 only LED	IP65	Aluminium / PVC	Matt

RASMUS WALL IP65




Code / Color	Light source	Protection class	Material	Finish
●AZ4482 black	1x E27 only LED	IP65	Aluminium / PVC	Matt

RASMUS IP65



Code / Color	Light source	Protection class	Material	Finish
●AZ4483 black	1x E27 only LED	IP65	Aluminium / PVC	Matt

FRAME IP65 WALL 3000/4000K NEW




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6633 dark grey	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6635 corten	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt
● AZ7014 black	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6634 dark grey	1x LED integrated	12W	960lm	4000K	IP65	Aluminium / PVC	Matt
● AZ6636 corten	1x LED integrated	12W	960lm	4000K	IP65	Aluminium / PVC	Matt
● AZ7015 black	1x LED integrated	12W	960lm	4000K	IP65	Aluminium / PVC	Matt

FRAME IP65 30 3000/4000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6638 corten	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6684 dark grey	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6760 black	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6685 corten	1x LED integrated	12W	960lm	4000K	IP65	Aluminium / PVC	Matt
● AZ6686 dark grey	1x LED integrated	12W	960lm	4000K	IP65	Aluminium / PVC	Matt
● AZ6761 black	1x LED integrated	12W	960lm	4000K	IP65	Aluminium / PVC	Matt


FRAME IP65 60 3000/4000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6629 dark grey	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6631 corten	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6762 black	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6630 dark grey	1x LED integrated	12W	960lm	4000K	IP65	Aluminium / PVC	Matt
● AZ6632 corten	1x LED integrated	12W	960lm	4000K	IP65	Aluminium / PVC	Matt
● AZ6763 black	1x LED integrated	12W	960lm	4000K	IP65	Aluminium / PVC	Matt



FRAME WALL V.2 IP65



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6321 black	1x LED integrated	8W	800lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6322 dark grey	1x LED integrated	8W	800lm	3000K	IP65	Aluminium / PVC	Matt




FRAME SPIKE V.2 IP65



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6319 black	1x LED integrated	8W	800lm	3000K	IP65	Aluminium / PVC	Matt
● AZ6320 dark grey	1x LED integrated	8W	800lm	3000K	IP65	Aluminium / PVC	Matt




EBRO WALL IP65 3000K NEW




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6764 black/clear	1x LED integrated	12W	960lm	3000K	IP65	Aluminium / PVC	Matt/Shiny

EBRO 60 IP65 18W 3000K NEW




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6765 black/clear	1x LED integrated	18W	1440lm	3000K	IP65	Aluminium / PVC	Matt/Shiny

EBRO 105 IP65 25W 3000K NEW




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6767 black/clear	1x LED integrated	25W	2000lm	3000K	IP65	Aluminium / PVC	Matt/Shiny

EBRO 155 IP65 32W 3000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6768 black/clear	1x LED integrated	32W	2560lm	3000K	IP65	Aluminium / PVC	Matt/Shiny

SILL WALL IP54 3000K




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5845 black / clear	1x LED integrated	9W	720lm	3000K	120°	≥ 80	IP54	Aluminium / PVC	Matt

SILL 600 IP54 3000K




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5846 black / clear	1x LED integrated	9W	720lm	3000K	120°	≥ 80	IP54	Aluminium / PVC	Matt

ELIAS 30 IP65 3000/4000K




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5707 dark grey	1x LED integrated	13W	1040lm	3000K	120°	≥ 90	IP65	Aluminium / PVC	Matt
● AZ5708 dark grey	1x LED integrated	13W	1040lm	4000K	120°	≥ 90	IP65	Aluminium / PVC	Matt

ELIAS 60 IP65 3000/4000K




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5709 dark grey	1x LED integrated	13W	1040lm	3000K	120°	≥ 90	IP65	Aluminium / PVC	Matt
● AZ5710 dark grey	1x LED integrated	13W	1040lm	4000K	120°	≥ 90	IP65	Aluminium / PVC	Matt

CAVALIO IP65 30 3000K NEW




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ7138 dark grey	1x LED integrated	10W	800lm	3000K	IP65	Aluminium	Matt

CAVALIO IP65 60 3000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ7139 dark grey	1x LED integrated	10W	800lm	3000K	IP65	Aluminium	Matt

CAVALIO IP65 80 3000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ7140 dark grey	1x LED integrated	10W	800lm	3000K	IP65	Aluminium	Matt



VILAGIO 30 IP65 4000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ7134 beige	1x LED integrated	6W	220lm	4000K	IP65	Aluminium	Matt
● AZ7135 dark grey	1x LED integrated	6W	220lm	4000K	IP65	Aluminium	Matt


VILAGIO 60 IP65 4000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ7136 beige	1x LED integrated	6W	220lm	4000K	IP65	Aluminium	Matt
● AZ7137 dark grey	1x LED integrated	6W	220lm	4000K	IP65	Aluminium	Matt




HAGER 1 WALL IP54




Code / Color	Light source	Protection class	Material	Finish
● AZ5863 black	1x E27 only LED	IP54	Aluminium / PVC	Matt

HAGER 2 WALL IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ5864 black	2x E27 only LED	IP54	Aluminium / PVC	Matt

HAGER 50 IP54




Code / Color	Light source	Protection class	Material	Finish
● AZ5865 black	1x E27 only LED	IP54	Aluminium / PVC	Matt



LANTERN WALL E27 IP54


NEW



Code / Color	Light source	Protection class	Material	Finish
● AZ6830 black/clear	1x E27 only LED	IP54	Aluminium / Glass	Matt / Shiny

LANTERN PENDANT E27 IP54


NEW



Code / Color	Light source	Protection class	Material	Finish
● AZ6829 black/clear	1x E27 only LED	IP54	Aluminium / Glass	Matt / Shiny

LANTERN E27 IP54


NEW



Code / Color	Light source	Protection class	Material	Finish
● AZ6828 black/clear	1x E27 only LED	IP54	Aluminium / Glass	Matt / Shiny




FIGARO WALL IP54 3000K NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6826 black	1x LED integrated	8W	640lm	3000K	IP54	Aluminium / Acryl	Matt



FIGARO 650 IP54 3000K NEW




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6827 black	1x LED integrated	8W	640lm	3000K	IP54	Aluminium / Acryl	Matt



OPLO WALL 3000K IP54


NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6831 dark grey	1x LED integrated	10W	800lm	3000K	IP54	Aluminium / PVC	Matt
● AZ6832 black	1x LED integrated	10W	800lm	3000K	IP54	Aluminium / PVC	Matt

OPLO 650 3000K IP54


NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6833 dark grey	1x LED integrated	10W	800lm	3000K	IP54	Aluminium / PVC	Matt
● AZ6834 black	1x LED integrated	10W	800lm	3000K	IP54	Aluminium / PVC	Matt

OPLO NUMBER WALL 3000K IP54

NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6835 dark grey	1x LED integrated	10W	800lm	3000K	IP54	Aluminium / PVC	Matt
● AZ6836 black	1x LED integrated	10W	800lm	3000K	IP54	Aluminium / PVC	Matt



SVAN IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ5859 black / clear	1x GU10 only LED	IP54	Aluminium / Glass	Matt



SVAN SENSOR IP54




Code / Color	Light source	Protection class	Type of control	Material	Finish
● AZ5860 black / clear	1x GU10 only LED	IP54	MOTION SENSOR	Aluminium / Glass	Matt



ROLF 1 WALL IP44




Code / Color	Light source	Protection class	Material	Finish
● AZ4475 black	1x GU10 only LED	IP44	Aluminium / Glass	Matt
● AZ4476 dark grey	1x GU10 only LED	IP44	Aluminium / Glass	Matt
○ AZ4477 white	1x GU10 only LED	IP44	Aluminium / Glass	Matt




ROLF 2 500 IP44




Code / Color	Light source	Protection class	Material	Finish
● AZ4456 black	2x GU10 only LED	IP44	Aluminium / Glass	Matt
● AZ4457 dark grey	2x GU10 only LED	IP44	Aluminium / Glass	Matt




ROLF 2 900 IP44



Code / Color	Light source	Protection class	Material	Finish
● AZ4458 black	2x GU10 only LED	IP44	Aluminium / Glass	Matt
● AZ4459 dark grey	2x GU10 only LED	IP44	Aluminium / Glass	Matt




SORANO WALL IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4357 dark grey	1x E27 only LED	IP54	Aluminium / PVC	Matt

SORANO 700 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4359 dark grey	1x E27 only LED	IP54	Aluminium / PVC	Matt


SORANO 500 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ4444 black	1x E27 only LED	IP54	Aluminium / PVC	Matt
● AZ4358 dark grey	1x E27 only LED	IP54	Aluminium / PVC	Matt




NILS WALL IP44




Code / Color	Light source	Protection class	Material	Finish
●AZ4478 black	1x E27 only LED	IP44	Aluminium / PVC	Matt

NILS 500 IP44




Code / Color	Light source	Protection class	Material	Finish
●AZ4480 black	1x E27 only LED	IP44	Aluminium / PVC	Matt

NILS WALL SENSOR IP44



Code / Color	Light source	Protection class	Type of control	Material	Finish
●AZ4479 black	1x E27 only LED	IP44	MOTION SENSOR	Aluminium / PVC	Matt

NILS 800 IP44




Code / Color	Light source	Protection class	Material	Finish
●AZ4481 black	1x E27 only LED	IP44	Aluminium / PVC	Matt

AGAPE 60 IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ3482 dark grey	1x LED integrated	6W	480lm	3000K	0°	≥ 80	IP54	Aluminium	Matt

AGAPE 80 IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ3483 dark grey	1x LED integrated	6W	480lm	3000K	0°	≥ 80	IP54	Aluminium	Matt


MATERA 600 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ2185 dark grey	1x GU10 only LED	IP54	Aluminium	Matt




SVERRE IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5711 black	1x LED integrated	5W	400lm	3000K	120°	≥ 80	IP54	Aluminium	Matt




FREDO 58 IP54 4000K




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5337 black	1x LED integrated	6W	480lm	4000K	120°	≥ 90	IP54	Aluminium / PVC	Matt

FREDO 98 IP54 4000K




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5338 black	1x LED integrated	12W	960lm	4000K	120°	≥ 90	IP54	Aluminium / PVC	Matt

ALVA 60 IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5705 dark grey	1x LED integrated	12W	960lm	3000K	115°	≥ 90	IP54	Aluminium / PVC	Matt

ALVA 100 IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5706 dark grey	1x LED integrated	12W	960lm	3000K	120°	≥ 90	IP54	Aluminium / PVC	Matt

TRAST 1 IP54



Code / Color	Light source	Protection class	Material	Finish
●AZ5861 black	1x GU10 only LED	IP54	Aluminium / Glass	Matt




TRAST 2 IP54



Code / Color	Light source	Protection class	Material	Finish
●AZ5862 black	1x GU10 only LED	IP54	Aluminium	Matt




EDVIN IP65



Code / Color	Light source	Protection class	Material	Finish
●AZ4502 black	1x GU10 only LED	IP65	Aluminium / Glass	Matt



EDVARD IP65



Code / Color	Light source	Protection class	Material	Finish
●AZ4503 dark grey	1x GU10 only LED	IP65	Aluminium / Glass	Matt




FLOKI 3000/4000K IP65



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4468 black	1x LED integrated	5W	400lm	3000K	44°	≥ 80	IP65	Aluminium	Matt
● AZ4467 black	1x LED integrated	5W	400lm	4000K	43°	≥ 80	IP65	Aluminium	Matt



HEDDA IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Dimmable	Type of control	Material	Finish
● AZ5700 black	1x LED integrated	4W	320lm	3000K	120°	≥ 80	IP54	Yes	SWITCH DIMMER	Aluminium / PVC	Matt




GILBERTO TABLE IP54



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Dimmable	Type of control	Material	Finish
○ AZ5334 white	1x LED integrated	2W	160lm	3000K	110°	≥ 80	IP54	Yes	TOUCH DIMMER	Aluminium / PVC	Matt
● AZ5335 black	1x LED integrated	2W	160lm	3000K	110°	≥ 80	IP54	Yes	TOUCH DIMMER	Aluminium / PVC	Matt
● AZ5336 brown	1x LED integrated	2W	160lm	3000K	110°	≥ 80	IP54	Yes	TOUCH DIMMER	Aluminium / PVC	Matt



HAVANA FLOOR IP44



Code / Color	Light source	Protection class	Material	Finish
● AZ4662 black / white	1x E27 only LED	IP44	PVC / Metal	Matt



BOOMBOX IP44

Portable LED lamp with a built-in 10W Bluetooth speaker. Equipped with a convenient carrying handle.

It features 7 light colors in different modes.

The lamp comes with a remote control, a rechargeable battery, and a USB charging cable.

Battery operation allows for complete freedom of use, and the lamp can be placed anywhere without restrictions.

It's a wonderful decoration that can inspire you to create a stunning garden arrangement.

IP44 waterproof rating allows for outdoor use.


Play music from your smartphone or tablet via Bluetooth!




BOOMBOX IP44 REMOTE CONTROL




BOOMBOX MEDIUM RGBW + REMONTE CONTROL IP44



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	CCT	Dimmable	Type of control	Material	Finish
O AZ4664 white	1x LED integrated	5W	800lm	3000K	360°	IP54	Yes	Yes	Remote control	PVC	Matt



BOOMBOX BUCKET RGBW + REMOTE CONTROL IP44




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	CCT	Dimmable	Type of control	Material	Finish
O AZ4665 white	1x LED integrated	10W	144lm	3000K	360°	IP54	Yes	Yes	Remote control	PVC	Matt



DOUBLE OUTDOOR SMART PLUG 10A IP44 BLACK



SMART APP
TUYA



Code / Color	Socket max. load	Protection class	Material	Finish
●AZ3223 black	2300W	IP44	PVC	Matt



on/off



scenes



group



schedule




app remote
control



sharing




OUTDOOR PLUG 2kW IP54 NEW




Code / Color	Socket max. load	Protection class	Material	Finish
●AZ6849 black	2000W	IP54	Aluminium / PVC	Matt / Shiny



A modern outdoor patio area featuring a concrete wall and ceiling. A long, thin, black track light fixture is mounted on the ceiling, with a single light bulb hanging down. The patio is furnished with two wooden armchairs with light-colored cushions and a small, round, concrete side table. To the right, there are three large, terracotta pots containing various green plants. The floor is made of large, light-colored tiles. The overall aesthetic is minimalist and contemporary.

TRACK IP65 **NEW**


TRACK IP65 INSTALLATION SCHEME




TRACK IP65 LAMP INSTALLATION SCHEME




TRACK IP65 SUSPENSION INSTALLATION SCHEME



TRACK IP65 SUSPENSION CORNERS INSTALLATION SCHEME





TRACK IP65 (1m, 2m, 3m)				
Length/Color/Code				
● 1m	black		AZ6920	
○ 1m	white		AZ6923	
● 2m	black		AZ6921	
○ 2m	white		AZ6924	
● 3m	black		AZ6922	
○ 3m	white		AZ6925	



TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)				
Length/Kelvins/Color/Code				
● 1m	4000K black		AZ7198	
○ 1m	3000K white		AZ6926	
○ 1m	4000K white		AZ6929	
● 2m	4000K black		AZ7199	
○ 2m	3000K white		AZ6927	
○ 2m	4000K white		AZ6930	
● 3m	4000K black		AZ7200	
○ 3m	3000K white		AZ6928	
○ 3m	4000K white		AZ6931	

TRACK IP65 LED LINE FINISHING OPTIONS

CUT & END CAP

Seal the cut LED line with a waterproof end cap for a clean and secure finish.

* Requires AZ6932



CABLE EXIT

Shorten the power cable to the required length while maintaining IP65 protection.

* Requires AZ6932



CABLE EXIT

Connect two LED line sections securely.

* Requires AZ6932



TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)

Code	Length	Light source	Power	Lumens	Kelvins	Beam angle	Color	Material	Finish	IP
● AZ7198	1m	LED Integrated	10W	192lm	4000K	110°	Smoky	Silicone	Matt	IP65
○ AZ6926	1m	LED Integrated	10W	620lm	3000K	110°	White	Silicone	Matt	IP65
○ AZ6929	1m	LED Integrated	10W	660lm	4000K	110°	White	Silicone	Matt	IP65
● AZ7199	2m	LED Integrated	20W	320lm	4000K	110°	Smoky	Silicone	Matt	IP65
○ AZ6927	2m	LED Integrated	20W	1060lm	3000K	110°	White	Silicone	Matt	IP65
○ AZ6930	2m	LED Integrated	20W	1170lm	4000K	110°	White	Silicone	Matt	IP65
● AZ7200	3m	LED Integrated	30W	480lm	4000K	110°	Smoky	Silicone	Matt	IP65
○ AZ6928	3m	LED Integrated	30W	1610lm	3000K	110°	White	Silicone	Matt	IP65
○ AZ6931	3m	LED Integrated	30W	1780lm	4000K	110°	White	Silicone	Matt	IP65





TRACK IP65 COVER STRAIGHT CONNECTOR
Code/Color ● black **AZ6936**
 ○ white **AZ6937**




TRACK IP65 MECHANICAL STRAIGHT CONNECTOR BK
Code ● black **AZ6712**



TRACK IP65 COVER CORNER A
Code/Color ● black **AZ6938**
 ○ white **AZ6939**



TRACK IP65 MECHANICAL CORNER A CONNECTOR BK
Code ● black **AZ6713**




TRACK IP65 COVER CORNER B CONNECTOR
Code/Color ● black **AZ7421**
 ○ white **AZ7422**



TRACK IP65 COVER T CONNECTOR
Code/Color ● black **AZ6942**
 ○ white **AZ6943**



TRACK IP65 MECHANICAL T CONNECTOR BK
Code ● black **AZ6714**



TRACK IP65 COVER X CONNECTOR
Code/Color ● black **AZ7419**
 ○ white **AZ7420**




TRACK IP65 MECHANICAL X CONNECTOR BK
Code ● black **AZ7418**



TRACK IP65 END CAP
Code/Color ● black **AZ6940**
 ○ white **AZ6941**



TRACK IP65 SUSPENSION
Code/Color ● black **AZ6934**
 ○ white **AZ6935**



TRACK IP65 CONNECTORS SET
Code/Color ○ white **AZ6932**



TRACK IP65 SILICONE GLUE
Code/Color ○ white **AZ6971**



TRACK IP65 DRIVER 100W/200W/300W
Code/Power 100W **AZ6964**
 200W **AZ6965**
 300W **AZ6966**



TRACK IP65 WATERPROOF CONNECTOR BOX
Code/Color ● black **AZ6972**




TRACK IP65 COVER DRIVER BOX (100W/200W)
Code/Color ● black **AZ6969**
 ○ white **AZ6970**



TRACK IP65 COVER DRIVER BOX (300W)
Code/Color ● black **AZ6967**
 ○ white **AZ6968**




TRACK IP65 CONTROL OPTIONS



CONTROLLER DIMM 2,4G + PANEL
REMOTE CONTROL BK
Code **AZ6846**



DA4-L DALI LED DIMMER 4-CHANNEL
Code **AZ6847**




TRACK IP65 LIDO 10W DIMM 3000/4000K

NEW



Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 600lm 600lm	Kelvins 3000K 4000K	Beam angle 45°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ6948
- 3000K white AZ6949
- 4000K black AZ6950
- 4000K white AZ6951




TRACK IP65 LIDO 20W DIMM 3000/4000K

NEW



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1000lm	Kelvins 3000K	Beam angle 45°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ6953
- 3000K white AZ6952
- 4000K black AZ6955
- 4000K white AZ6954




TRACK IP65 MURANO 8W DIMM 3000/4000K


NEW



Voltage 48V	Light source 1 x LED Integrated	Power 8W
Lumens 530lm 530lm	Kelvins 3000K 4000K	Beam angle 50°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		



- 3000K black AZ6944
- 3000K white AZ6945
- 4000K black AZ6946
- 4000K white AZ6947




TRACK IP65 FERNA 16W DIMM 3000/4000K

NEW



Voltage 48V	Light source 1 x LED Integrated	Power 16W
Lumens 660lm 660lm	Kelvins 3000K 4000K	Beam angle 38°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ6956
- 3000K white AZ6957
- 4000K black AZ6958
- 4000K white AZ6959




TRACK IP65 SAMI D12 3000/4000K DIMM

NEW



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 500lm 500lm	Kelvins 3000K 4000K	Beam angle 360°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ7224
- 3000K white AZ7222
- 4000K black AZ7225
- 4000K white AZ7223



TRACK IP65 SONIC DIMM 3000/4000K

NEW



Voltage 48V	Light source 1 x LED Integrated	Power 11W
Lumens 880lm 880lm	Kelvins 3000K 4000K	Beam angle 38°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ6960
- 3000K white AZ6961
- 4000K black AZ6962
- 4000K white AZ6963

